

Project Name:	
Project Address:	Date:
Designer of Record:	Telephone:
Contact Person:	Telephone:
City:	

Mandatory Provisions Checklist

- Automatic lighting shutoff controls are provided based on either a scheduling device or an occupant sensor.
- Exception: Space is intended for 24-hour operation.
 - Exception: Space is smaller than 5,000 ft².
 - Exception: Space for patient care.
 - Exception: Space where automatic lighting shutoff would endanger safety or security.
- Each space enclosed by ceiling-height partitions has an independent, accessible control that operates general lighting in the space.
- Exception: The control is located in a remote location for safety or security reasons.

- For spaces less than or equal to 10,000 ft², a separate space control is provided for each 2,500 ft² of area.
- For spaces more than 10,000 ft², a separate space control is provided for each 10,000 ft² of area.
- Either a photosensor or an astronomical time switch controls exterior lighting applications.
 - Exception: Lights must remain on for safety, security or eye adaptation reasons.
- Two-lamp tandem-wired ballasts.
- Display lighting has a separate control.
- Case lighting has a separate control.
- Hotel/motel guest rooms have a master switch at the main entry.

- Task lighting has a separate control.
- Nonvisual lighting has a separate control.
- Demonstration lighting has a separate control.
- Exit signs do not exceed 5 W per face.
- Exterior building grounds luminaires greater than 100 W have lamps with minimum efficacy of 60 lumens/W.
 - Exception: Luminaire is activated with a motion sensor.

Interior Lighting Power Allowance (Building Area Method)

Building Type	Lighting Power Density (W/ft ²)	Building Area (ft ²)	Lighting Power Allowance (W)
Total			

Interior Lighting Power Allowance (Space-by-Space Method)

Building Type	Common/Specific Space Type	Lighting Power Density (W/ft ²)	Space Area (ft ²)	Lighting Power Allowance (W)
Total				



Project Name:

Contact Person:

Telephone:

Additional Interior Connected Lighting Power

ID	Luminaire Description (including number of lamps per fixture, watts per lamp, type of ballast, type of fixture)	Type						Number of Luminaires	Watts/ Luminaire	Total Watts
		Incandescent	Fluorescent	HID	Line-Voltage Track	Low-Voltage Track	Other			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Total										

