

- Jakubiec, J.A., Reinhart, C.F. 2012. The 'Adaptive Zone' - A Concept for Assessing Discomfort Glare throughout Daylit Spaces. Lighting Research and Technology 44 (2): 149–70.
- Janocha, K., Czarnecki, W.M. 2017. On Loss Functions for Deep Neural Networks in Classification. CoRR (2017), 1–10.
- Jones, N., Reinhart, C. 2014. Irradiance Caching for Global Illumination Calculation on Graphics Hardware. Ashrae/Ibpsa-Usa, 111–20.
- Kazanasmaz, T., Gunaydin, M., Binol, S. 2009. Artificial Neural Networks to Predict Daylight Illuminance in Office Buildings. Building and Environment 44 (8): 1751–57
- Konis, K. 2014. Predicting Visual Comfort in Side-Lit Open-Plan Core Zones: Results of a Field Study Pairing High Dynamic Range Images with Subjective Responses. Energy and Buildings 77.: 67–79.
- Laouadi, A., Reinhart, C.F., and Bourgeois, D. 2008. Efficient Calculation of Daylight Coefficients for Rooms with Dissimilar Complex Fenestration Systems. Journal of Building Performance Simulation 1: 3–15.
- Li, D.H.W., Tang, H.L., Lee, E.W.M., Muneer, T. 2010. Classification of CIE standard skies using probabilistic neural network. International Journal of Climatology 30: 305–315.
- Mardaljevic J. 2000. Daylight simulation: validation, sky models and daylight coefficients Ph.D. thesis De Montfort University, Leicester, UK.
- McCulloch, W.S. and Pitts, W. 1943. A Logical Calculus of the Ideas Immanent in Nervous Activity. The Bulletin of Mathematical Biophysics 5 (4): 115–33.
- Navada, S.G., Adiga, C.S., and Kini, S.G. 2016. Prediction of Daylight Availability for Visual Comfort. International Journal of Applied Engineering Research 11 (7): 4711–17.
- Perez, R., Seals, R., and Michalsky, J. 1993. All-Weather Model for Sky Luminance Distribution— Preliminary Configuration and Validation. Solar Energy 51: 423.
- Satilmis, P., Bashford-Rogers, T., Chalmers, A., Debattista, K. 2016. A Machine Learning Driven

Sky Model. IEEE Computer Graphics and Applications. 37 (1), 80-91.

- Ren, P., Dong, Y., Lin, S., Tong, X., Guo, B. 2015.Image Based Relighting Using Neural Networks. ACM Transactions on Graphics 34 (4)
- Suk, J.Y., Schiler, M., and Kensek, K. 2013. Development of New Daylight Glare Analysis Methodology Using Absolute Glare Factor and Relative Glare Factor. Energy and Buildings (64):113–22.
- Tregenza, P.R. and Waters, I.M. 1983. Daylight Coefficients. Lighting Research and Technology 15(2): 65–71.
- Turmon, M.J. and Fine T.L. 1994. Sample Size Requirements for Feedforward Neural Networks. Proceedings of the 7th International Conference on Neural Information Processing Systems 2 (1): 327– 34.
- van den Wymelenberg, K. and Inanici, M. 2015. Evaluating a New Suite of Luminance-Based Design Metrics for Predicting Human Visual Comfort in Offices with Daylight. Leukos 2724 (October): 1–26.
- Ward, G., Mistrick, R., Lee, E.S., Mcneil, A., Jonsson, J. 2011. Simulating the Daylight Performance of Complex Fenestration Systems Using Bidirectional Scattering Distribution Functions within Radiance January. Leukos, Journal of the IESNA 7(4).
- Ward, G., 1994. The RADIANCE Lighting Simulation and Rendering System, Computer Graphics (Proceedings of '94 SIGGRAPH conference) (July): 459-72
- Wienold, J. and Christoffersen, J. 2006. Evaluation methods and development of a new glare prediction model for daylight environments with the use of CCD cameras. Energy and Buildings, 38(7): 743-757.
- Zhou, S. and Liu. D. 2015. Prediction of Daylighting and Energy Performance Using Artificial Neural Network and Support Vector Machine. American Journal of Civil Engineering and Architecture, Vol. 3: 1-8.