



SCOPES
of
ASHRAE

**Technical Committees, Task Groups,
Multidisciplinary Task Groups &
Technical Resource Groups**

Historical

Revised 18-7-24	Upgraded TG2.HVAC to TC 2.10 Added MTG.HWBE	Revised 07-07-27	Revised scope of TC 3.6 Revised scope of TC 2.7
Revised 18-1-26	Revised title and scope TC 1.10	Revised 07-05-10	Changed TRG5 UFAD to TRG7 UFAD
Revised 17-6-28	Disband MTG.ASEC Disband MTG.ISPAQE Disband MTG.O&MEE Disband TC 5.8 Added MTG.EBO Revised title and scope TC 2.7 Revised scope TC 2.8 Revised title and scope TC 6.7 Revised title and scope TC 9.2	Added 07-03-15	Added TRG5.UFAD Added TG8.VRF Added TG3 HVAC Contractors and Design Build Firms Upgraded TG2.UVAS to TC 2.9 Revised scope of TC 9.1 Revised scope of TC 7.7
Revised 17-2-3	Upgraded MTG.CCDG to TRG9	Added 06-9-30	Added new TRG7 Tools for Sustainable Building Operations, Maintenance and Cost Analysis Revised scope of TRG4
Revised 16-6-29	Added MTG.ACR Disbanded MTG.ET Changed Scope MTG.LowGWP Changed Scope MTG.BIM	Added 06-06-28	Added new TRG4. Sustainable Building Guidance and Metrics Revised scope of TC 4.3 Merged TC 8.7 into TC 1.10
Revised 16-1-27	Disband MTG.CCDG Revised title and scope TC 2.6 Added MTG.OBB Added MTG.IAST	Added 06-02-02	Added new TG1.Exergy Analysis for Sustainable Buildings Revised scope of TC9.1 Revised scope of TC9.8 Renumbering of TC 5.12 to 4.3
Revised 15-7-1	Added MTG.ASEC Added MTG. ISPAQE Revised Title and Scope TC 10.5	Revised 05-10-05 Revised 05-10-05	Upgraded TG10.MOC to TC 10.10 Revised scope of TC 1.12
Revised 15-1-28	Upgraded TG1.OPT into 1.13	Revised 05-06-25	Revised title and scope of TC 4.2 Revised scope of TC 1.10 Revised scope of TG 9J.F Revised scope of TC 9.8
Revised 14-10-1	Disbanded MTG.HPAS	Revised 05-06-16	Added newTG2.UVAS
Revised 14-7-1	Added MTG.O&MEE Changed Title of MTG.EAS to MTG.HPAS	Revised 05-01-05 Revised 04-08-23	Merged TG9.EI into TRG2.BCBB Revised title and scope of TC 8.12 Revised scope of TC 2.3 Added TC 9.6, TC 9.7, TG9.JF and TG9.EI
Revised 14-2-1	Added MTG.BD Disbanded MTG.EEC Changed title of TC 10.3 Added MTG.HCDG	Revised 04-05-06 Added 04-04-27 Removed 04-04-27	Revised scope of TC 8.12 Added new TC 6.5 Disbanded TCs 6.4 & 6.5
Revised 13-9-24	Disband MTG.BPM	7/17/2003 - General Section Realignment (this alignment became official on 7/1/2003): The following TCs and TGs were moved or renumbered: TC 1.7, Operation & Maintenance Management -> TC 7.3 TC 1.8 Owning & Operating Costs -> TC 7.8 TG1.GLE, General Legal Education -> TC 1.7, Business, Management & General Legal Education TG2.GCC, Global Climate Change -> TC 2.5 TC 3.5, Desiccant & Sorption Technology -> TC 8.12 TC 4.3, Ventilation Requirements & Infiltration -> TC 5.12 TC 4.6, Building Operation Dynamics -> TC 7.4 TC 4.11, Smart Building Systems -> TC 7.5 TC 4.12, Integrated Building Design -> TC 7.1 TC 4.13, Mechanical Systems Insulation -> TC 1.8 TC 6.11, Pumps & Hydronic Piping -> Merged into TC 6.1, Hydronic & Steam Equipment Systems TC 7.1, Residential Refrigerators & Food Freezers -> TC 8.9 TC 7.6, Unitary & Room Air Conditioners & Heat Pumps -> TC 8.11 TC 8.7, Humidifying Equipment -> TC 5.11 TC 8.11, Electric Motors & Motor Control ->TC 1.11 TC 9.5, Cogeneration Systems -> TC 1.10 TC 9.6, Systems Energy Utilization -> TC 7.6 TC 9.7, Testing & Balancing -> TC 7.7 TC 9.9, Building Commissioning -> TC 7.9 TC 9.13, Combustion Gas Turbine Inlet Air Cooling Systems-> TC 8.7 TRG2.BCBB Merged TG2.BIE and TC 1.10 into TC 2.8 Added new scope for TC 2.8.Revised 02-08-02 Revised scope of TC 8.4 Upgraded TG4.MSI to TC4.13 Upgraded TG9.CTIC to TC9.13	
Revised 13-6-22	Editorial MTG.LowGWP		
Revised 13-3-27	Disband TC 9.5 Revised title for TC 9.9 Dissolved TRG7.UFAD Revised title and scope TC 10.7		
Revised 13-1-30	Added MTG.CCDG Upgraded TG9 to TC 9.4 Changed title of TC 2.7 Modified scope for TC 3.4 Added MTG.LowGWP Added MTG.EAS		
Revised 12-10-3	Merged TC 10.9 into 10.5 Modified scope for 10.5 Merged TC 10.10 into 3.4 Merged TC 10.4 into 10.1		
Revised 12-6-25	Added MTG.ET		
Revised 12-1-25	Added MTG.BIM Added MTG BPM Added MTG EEC		
Revised 11-06-30	Upgraded TG1 Exergy to TC 7.4 Upgraded TG3 HVAC to TC 7.2 Revised scope TC 5.10		
Revised 11-06-01	Added TRG 4.IAQP		
Revised 11-04-19	Revised scope TC 2.5 Revised scope TC 5.10 Revised scope and title for TC 6.8		
Revised 11-02-02	Merged TC 9.4 into 6.8		
Revised 10-09-28	Dissolved TRG7.SBOMC Revised scope and title for TC 7.6		
Added 10-06-30	Upgraded TG8.VRF to TC 8.7 Disbanded TRG4.SDGM		
Revised 10-06-30	Added new TG1.Opt Modified scope for TC 5.3 Revised scope and title for TC 6.5		
Merged 10-06-30	Modified scope for TRG7.UFAD Modified scope for TC 7.5 Merged TC 7.4 into TC 7.5 Changed scope of 6.7 Changed name of TC 6.6 Changed name and scope of TG2.BCBB to TG2.HVAC		
Removed 10-06-30			
Revised 10-01-27			
Revised 09-06-30			
Revised 09-01-28			
Revised 08-06-25			

ASHRAE TECHNICAL COMMITTEES, TASK GROUPS AND TECHNICAL RESOURCE GROUPS

SECTION 1.0-FUNDAMENTALS AND GENERAL

- 1.1 Thermodynamics and Psychrometrics
- 1.2 Instruments and Measurements
- 1.3 Heat Transfer and Fluid Flow
- 1.4 Control Theory and Application
- 1.5 Computer Applications
- 1.6 Terminology
- 1.7 Business, Management & General Legal Education
- 1.8 Mechanical Systems Insulation
- 1.9 Electrical Systems
- 1.10 Electric Motors and Motor Control
- 1.11 Moisture Management in Buildings
- 1.13 Optimization

SECTION 2.0-ENVIRONMENTAL QUALITY

- 2.1 Physiology and Human Environment
- 2.2 Plant and Animal Environment
- 2.3 Gaseous Air Contaminants and Gas Contaminant Removal Equipment
- 2.4 Particulate Air Contaminants and Particulate Contaminant Removal Equipment
- 2.5 Global Climate Change
- 2.6 Sound and Vibration
- 2.7 Seismic, Wind and Flood Resistant Design
- 2.8 Building Environmental Impacts and Sustainability
- 2.9 Ultraviolet Air and Surface Treatment
- 2.10 Resilience and Security

SECTION 3.0-MATERIALS AND PROCESSES

- 3.1 Refrigerants and Secondary Coolants
- 3.2 Refrigerant System Chemistry
- 3.3 Refrigerant Contaminant Control
- 3.4 Lubrication
- 3.6 Water Treatment
- 3.8 Refrigerant Containment

SECTION 4.0-LOAD CALCULATIONS AND ENERGY REQUIREMENTS

- 4.1 Load Calculation Data and Procedures
- 4.2 Climatic Information
- 4.3 Ventilation Requirements and Infiltration
- 4.4 Building Materials and Building Envelope Performance
- 4.5 Fenestration
- 4.7 Energy Calculations
- 4.10 Indoor Environmental Modeling
- TRG4 Indoor Air Quality Procedure Development

SECTION 5.0-VENTILATION AND AIR DISTRIBUTION

- 5.1 Fans
- 5.2 Duct Design
- 5.3 Room Air Distribution
- 5.4 Industrial Process Air Cleaning (Air Pollution Control)
- 5.5 Air-to-Air Energy Recovery
- 5.6 Control of Fire and Smoke
- 5.7 Evaporative Cooling
- 5.9 Enclosed Vehicular Facilities
- 5.10 Kitchen Ventilation
- 5.11 Humidifying Equipment

SECTION 6.0-HEATING EQUIPMENT, HEATING AND COOLING SYSTEMS AND APPLICATIONS

- 6.1 Hydronic and Steam Equipment and Systems
- 6.2 District Energy
- 6.3 Central Forced Air Heating and Cooling Systems
- 6.5 Radiant Heating and Cooling
- 6.6 Service Water Heating Systems
- 6.7 Solar and Other Renewable Energies
- 6.8 Geothermal Heat Pump and Energy Recovery Applications
- 6.9 Thermal Storage
- 6.10 Fuels and Combustion

SECTION 7.0-BUILDING PERFORMANCE

- 7.1 Integrated Building Design
- 7.2 HVAC&R Construction & Design Build Technologies
- 7.3 Operation and Maintenance Management
- 7.4 Exergy Analysis for Sustainable Buildings (EXER)
- 7.5 Smart Building Systems
- 7.6 Building Energy Performance
- 7.7 Testing and Balancing
- 7.8 Owning and Operating Costs
- 7.9 Building Commissioning

SECTION 8.0-AIR-CONDITIONING AND REFRIGERATION SYSTEM COMPONENTS

- 8.1 Positive Displacement Compressors
- 8.2 Centrifugal Machines
- 8.3 Absorption and Heat Operated Machines
- 8.4 Air-to-Refrigerant Heat Transfer Equipment
- 8.5 Liquid-to-Refrigerant Heat Exchangers
- 8.6 Cooling Towers and Evaporative Condensers
- 8.7 Variable Refrigerant Flow (VRF)
- 8.8 Refrigerant System Controls and Accessories

- 8.9 Residential Refrigerators and Food Freezers
- 8.10 Mechanical Dehumidification Equipment and Heat Pipes
- 8.11 Unitary and Room Air Conditioners and Heat Pumps
- 8.12 Desiccant Dehumidification Equipment and Components

SECTION 9.0-BUILDING APPLICATIONS

- 9.1 Large Building Air-Conditioning Systems
- 9.2 Industrial Air Conditioning and Ventilation
- 9.3 Transportation Air Conditioning
- 9.4 Justice Facilities
- 9.6 Healthcare Facilities
- 9.7 Educational Facilities
- 9.8 Large Building Air-Conditioning Applications
- 9.9 Mission Critical Facilities, Data Centers, Technology Spaces and Electronic Equipment
- 9.10 Laboratory Systems
- 9.11 Clean Spaces
- 9.12 Tall Buildings

SECTION 10.0-REFRIGERATION SYSTEMS

- 10.1 Custom Engineered Refrigeration Systems
- 10.2 Automatic Icemaking Plants and Skating Rinks
- 10.3 Refrigerant Piping, Controls and Accessories
- 10.5 Refrigerated Processing and Storage
- 10.6 Transport Refrigeration
- 10.7 Commercial Food and Beverage Refrigeration Equipment
- 10.8 Refrigeration Load Calculations

SECTION MTG–MULTIDISCIPLINARY TASK GROUPS

- | | |
|------------|---|
| MTG.ACR | Air Change Rate |
| MTG.BD | Building Dampness |
| MTG.BIM | Building Information Modeling |
| MTG.EBO | Effective Building Operations |
| MTG.HCDG | Hot Climate Design Guide |
| MTG.HWBE | Health and Wellness in the Built Environment |
| MTG.IAST | Impact of ASHRAE Standards and Technology on Energy Savings/Performance |
| MTG.LowGWP | Lower Global Warming Potential Alternative Refrigerants |
| MTG.OBB | Occupant Behavior in Buildings |

Section 1.0-Fundamentals & General

Technical Committee 1.1, Thermodynamics and Psychrometrics

TC 1.1 is concerned with basic thermodynamic laws and property relationships, particularly as they are applied to processes involved in heating, ventilating, air conditioning, refrigeration, and related areas of environmental engineering. A second concern of the TC is the fundamental thermodynamic and transport relationships for air and water vapor mixtures, as used in the study, measurement, and calculation of psychrometric properties and processes.

Technical Committee 1.2, Instruments and Measurements

TC 1.2 is concerned with the principles of instrumentation and the concepts and techniques of basic measurements, especially for processes and properties associated with air conditioning, heating, refrigeration, and related areas of environmental engineering.

Technical Committee 1.3, Heat Transfer and Fluid Flow

TC 1.3 is concerned with the fundamental principles of the transport of energy, mass, and momentum, especially the study of and application to, physical processes in air conditioning, refrigeration, heating and related areas of environmental engineering.

Technical Committee 1.4, Control Theory and Application

TC 1.4 is concerned with control theory, systems, and components (excluding refrigerant flow controls), for heating, ventilating, air conditioning and refrigeration uses.

Technical Committee 1.5, Computer Applications

TC 1.5 is concerned with determination of computer applications to the design and optimization of refrigeration, heating, and air-conditioning systems, equipment and components thereof; and with programs for all such uses.

Technical Committee 1.6, Terminology

TC 1.6 is concerned with terminology, nomenclature, definitions, abbreviations, symbols and SI and IP units used in the used in the fields of heating, ventilating, air conditioning, water heating and refrigeration.

Technical Committee 1.7, Business, Management & General Legal Education

TC 1.7 is concerned with business, management and general legal matters, which touch and concern the HVACR industry and its members.

Technical Committee 1.8, Mechanical Systems Insulation

TC 1.8 is concerned with the application and performance of thermal and acoustical insulation systems used on pipes, tanks, equipment and ducts.

Technical Committee 1.9, Electrical Systems

TC 1.9 is concerned with electrical systems insofar as they interact with the HVAC & R.

Technical Committee 1.10, Cogeneration Systems

TC 1.10 is concerned with combined heat and power (CHP) systems, their cycles and components including heat recovery, combustion turbine inlet cooling (CTIC), energy conversion and system integration. The systems provide both power (electric and/or mechanical) and thermal energy (heating and/or cooling) and are variously known as cogeneration systems; trigeneration systems; combined heat and power (CHP); and combined cooling, heating and power (CCHP) systems.

Technical Committee 1.11, Electric Motors and Motor Control

TC 1.11 is concerned with electric motors (including hermetic) used in heating, ventilating, air-conditioning and refrigeration systems and the protection and control of such motors.

Technical Committee 1.12, Moisture Management in Buildings

TC 1.12 is concerned with the interaction between the weather, the building envelope, its systems and its occupants which either lead to moisture accumulation or which prevent it. The committee performs cross-cutting research, and collects and distributes information to help the public and the professions avoid problems associated with excessive moisture. These efforts are coordinated with other technical committees, industries and professions which are responsible for individual systems, building components and public health and safety.

Technical Committee 1.13, Optimization

TC 1.13 is concerned with identifying, developing and disseminating optimization techniques that enhance the performance of HVAC&R components, systems and building systems that are not application or tool specific. The committee is focused on the fundamentals of optimization techniques (such as: mathematical formulation, constraints handling, multi-objective optimization, approximation techniques, robust optimization, etc).

Section 2.0 – Environmental Quality

Technical Committee 2.1, Physiology and Human Environment

TC 2.1 is concerned with the relationship of man's living environment, as altered by air-conditioning, heating and ventilating systems, to his comfort, health, and productivity.

Technical Committee 2.2, Plant and Animal Environment

TC 2.2 is concerned with the relationships of environmental conditions, as altered by air-conditioning, refrigeration, heating and ventilating systems, to the growth, health, and reproduction of plants and animals.

Technical Committee 2.3, Gaseous Air Contaminants and Gas Contaminant Removal Equipment

TC 2.3 is concerned with the nature of trace gaseous contaminants; the measurement of their properties; their effects on living things and materials; the means of removing unwanted gaseous contaminants from gases; and the effectiveness, energy usage, and economy of such purification equipment.

For both ordinary and extraordinary situations (including hostile acts), TC 2.3 is concerned with the effects of gaseous contaminants on the quality of air supplied to and exhausted from enclosed spaces and with the sources of gaseous contaminant pollution within such spaces.

The TC scope covers all aspects of odor technology, including odors, which are produced by volatile particulate contaminants, but excludes purely physiological or psychological aspects of gaseous contaminants such as toxicology and odor perception.

Technical Committee 2.4, Particulate Air Contaminants and Particulate Contaminant Removal Equipment

TC 2.4 is concerned with the nature of particulate contaminants, both solid and liquid; the measurement of their properties; their effects on living things and materials; both solid and liquid; the means of removing unwanted particulate contaminants from gases; and the evaluation of the effectiveness, energy usage, and economy of such purification equipment. The TC is concerned with the effects of particulate contaminants on the quality of air supplied to and exhaust from enclosed spaces, and with the sources of particulate contaminant pollution within such spaces. The scope of TC 2.4 does not include purely physiological or toxicological aspects of particulate pollution, which are the province of TC 2.1 and TC 2.2.

Technical Committee 2.5, Global Climate Change

TC 2.5 is concerned with the impact that activities of the HVAC&R industry may have on the global environment, including climate change and stratospheric ozone depletion. This TC enhances ASHRAE member awareness of these impacts and coordinates activities and planning for the Society to address these issues. This includes identifying factors within the scope of the HVAC&R industry, which may impact favorably and unfavorably, the global environment and the role that ASHRAE serves.

Technical Committee 2.6, Sound and Vibration

TC 2.6 is concerned with the fundamental scientific and engineering principles of sound and vibration, particularly as applied to the design and performance of the built environment.

Technical Committee 2.7, Seismic, Wind and Flood Resistant Design

Technical Committee 2.7 is concerned with fundamental scientific and engineering design principles for the resilient design of HVACR equipment and building mechanical/electrical/plumbing service systems for resistance to natural hazards including seismic, wind and flooding.

Technical Committee 2.8, Building Environmental Impacts and Sustainability

Technical Committee 2.8 is concerned with the environmental, social and economic impacts of buildings, including effects on ecosystem sustainability and the well-being of building occupants. The committee works to enhance awareness of these issues and the resiliency needed to adapt to a changing climate. Building impacts of concern include, but are not limited to, environmental impacts of energy and water production, conversion, delivery and use; availability of energy resources; pollution of air, water, and soil; and encroachment on sensitive habitats.

Technical Committee 2.9, Ultraviolet Air and Surface Treatment

TC 2.9 is concerned with all aspects of equipment and systems that utilize ultraviolet radiation to destroy or deactivate chemical and/or biological air and surface contaminants in HVAC systems and indoor spaces, including, but not limited to, effectiveness, safety, maintenance and economics.

Technical Committee 2.10, Resilience and Security

TC 2.10 is concerned with fundamental scientific and engineering design principles for the resilience of the built environments subjected to extraordinary events including mitigating consequential damages, remediation, and recovery.

Section 3.0–Materials and Processes

Technical Committee 3.1, Refrigerants and Secondary Coolants

TC 3.1 is concerned with all properties and functions of refrigerants and secondary coolants, including commercial and experimental materials.

Technical Committee 3.2, Refrigerant System Chemistry

TC 3.2 is concerned with all chemical reactions occurring inside refrigerant systems and with effects of temperature, pressure and materials on the reaction rates. Materials of primary interest include refrigerants, lubricants, lubricant additives, motor insulation, driers, and metallic structural materials.

Technical Committee 3.3, Refrigerant Contaminant Control

TC 3.3 is concerned with sources, generation, and control of water and other contaminants in refrigerating systems. It is also concerned with recovering, recycling, and reclaiming refrigerants with in-system cleanup methods. Identifying and quantifying contaminants are of particular interest. Properties and performances of filters and driers are within the scope of responsibility.

Technical Committee 3.4, Lubrication

TC 3.4 is concerned with all functions and interactions of lubrication in a refrigerant system, including physical and thermodynamic properties of refrigerant-lubricant systems, all issues relating to the circulation of lubricants in a refrigerant system, and other lubrication concerns.

Technical Committee 3.6, Water Treatment

TC 3.6 is concerned with water treatment for building water systems including scale, corrosion and microbiological control (except sewage drainage systems) and the impacts of water treatment on building operations, maintenance, sustainability, energy efficiency, human health, and water resource conservation.

Technical Committee 3.8, Refrigerant Containment

TC 3.8 is concerned with methods of construction and service practices to maintain tight refrigeration systems and for storing and handling refrigerants in external containers.

It is also concerned with leak detection, evacuation, and minimizing refrigerant emissions while servicing refrigerating systems.

Section 4.0 – Load Calculations and Energy Requirements

Technical Committee 4.1, Load Calculation Data and Procedures

TC 4.1 is concerned with the identification and compilation of engineering data and the development of procedures for calculating heating, cooling, refrigeration and ventilating loads of structures.

Technical Committee 4.2, Climatic Information

TC 4.2 is concerned with identification, analysis and tabulation of climatic data for use in analysis and design of heating, refrigeration, ventilation and air-conditioning systems. Promotion of effective use of weather information in these applications is also included.

Technical Committee 4.3, Ventilation Requirements and Infiltration

TC 4.3 is concerned with ventilation requirements and the analysis of infiltration, airflow around buildings, exhaust, and the re-entry of exhaust, including their integration interactions with indoor air quality and energy calculations for buildings and HVAC system design and operation performance and energy consumption.

Technical Committee 4.4, Building Materials and Building Envelope Performance

TC 4.4 is concerned with the requirements and overall performance of the building envelope as it relates to: 1) heat, air and moisture related properties of building materials 2) fundamental heat, air and moisture transport processes of assemblies; 3) interactions with interior conditions and HVAC systems. In addition, TC 4.4 is concerned with the properties of materials used in mechanical systems to control heat and moisture flows.

Technical Committee 4.5, Fenestration

TC 4.5 is concerned with the identification and evaluation of all physical properties of (1) glasses and other glazing materials, (2) shading and shielding materials and devices, and (3) control devices and strategies which influence the radiant, conduction, and convection transfer of both heat and light through fenestration systems. It is also concerned with the development of procedures for calculating and measuring solar heat gain, daylight admission, and heat transfer through fenestration systems.

Technical Committee 4.7, Energy Calculations

Technical Committee 4.7 is concerned with identifying, evaluating, developing, and recommending procedures for calculating energy performance of buildings.

Technical Committee 4.10, Indoor Environmental Modeling

TC 4.10 is concerned with developing, evaluating and recommending procedures for predicting indoor environmental conditions including thermal, acoustical, illumination, and air quality for new or existing buildings.

Technical Resource Group TRG4, Indoor Air Quality Procedure Development

TRG 4 is concerned with developing specific guidance to allow users to apply the IAQP method as defined under ASHRAE Standard 62.1. Committee results will be presented to the 62.1 Committee as submissions for inclusion in appendices of the Standard.

Section 5.0 – Ventilation and Air Distribution

Technical Committee 5.1 Fans

TC 5.1 is concerned with the selection, application and testing-for-rating of fans, including recommended installation practices and field test procedures.

Technical Committee 5.2, Duct Design

TC 5.2 is concerned with the design, characteristics and construction of all types of ductwork for the handling of air and other gases, but does not include chimneys.

Technical Committee 5.3, Room Air Distribution

TC 5.3 is concerned with the distribution, diffusion and conditioning of air within rooms and similarly treated spaces. It includes consideration of the principles of air distribution, air diffusion and performance characteristics of all types of air terminal devices, fan coils, chilled beams and high/low pressure assemblies (boxes) or components, including associated or related accessories for both supply and extract air

Technical Committee 5.4, Industrial Process Air Cleaning (Air Pollution Control)

TC 5.4 is concerned with the removal of particulate matter and gaseous emissions from industrial processes and operations.

Technical Committee 5.5, Air-to-Air Energy Recovery

TC 5.5 is concerned with air-to-air heat exchangers, their application and cost benefit relationship. It includes consideration of the needs and procedures for standard-

ization and testing, rating and terminology applicable to air-to-air energy recovery.

Technical Committee 5.6, Control of Fire and Smoke

TC 5.6 is concerned with the design and application of systems and components for the protection of life and property from fire and smoke in buildings.

Technical Committee 5.7, Evaporative Cooling

TC 5.7 is concerned with contact type heat transfer surfaces and equipment for evaporative air-cooling. It includes application to residential, commercial and industrial cooling requirements.

Technical Committee 5.9, Enclosed Vehicular Facilities

TC 5.9 is concerned with existing technology and design requirements for enclosed transportation facilities. Enclosed vehicular facilities encompass the subway portion of rapid transit systems, vehicular tunnels, rail tunnels, enclosed bus ways, bus terminals and parking garages.

Technical Committee 5.10, Kitchen Ventilation

TC 5.10 is concerned with the design, construction installation, commissioning and sustainable operation of code-compliant commercial kitchens.

Technical Committee 5.11, Humidifying Equipment

TC 5.11 is concerned with equipment for raising the humidity of air in residential and commercial spaces, its application and control, and effect of humidity on structures, and testing and standards defining environmental and physiological requirements.

Section 6.0 – Heating Equipment, Heating and Cooling Systems and Applications

Technical Committee 6.1, Hydronic and Steam Equipment and Systems

TC 6.1 is concerned with all aspects of hydronic and steam systems. This includes the application of boilers, chillers, terminal units, and all accessories and controls making up the total system as well as the design of the integrated system. In addition to comfort applications of both heating and cooling, snow melting systems are included. Cooperation with other TCs is recognized in areas such as control, noise and vibration, refrigeration, pumps and hydronic and service water piping.

Technical Committee 6.2, District Energy

TC 6.2 is concerned with district energy technology and integrated systems that provide one or more forms of thermal energy or a combination of thermal energy and

electric power from a central plant(s) to meet the heating, cooling, or combined thermal energy and power needs of end-users in two or more structures. The TC collects and disseminates information on regional resource planning including the design, performance, economic analysis, operation and maintenance of central plants, distribution networks, and consumer limited to materials, construction methods, heat transfer, fluid flow, and measurement. The scope of the TC includes the development and assessment of associated technologies for energy use sections. Coordination occurs with other TCs responsible for components or sub-systems of district energy systems.

Technical Committee 6.3, Central Forced Air Heating and Cooling Systems

TC 6.3 is concerned with those central forced air systems used for residential and light commercial building comfort heating and cooling. Responsibility covers the design and performance of the entire system, including equipment, controls, ducts and the interactions of the system with building heating and cooling loads.

Technical Committee 6.5, Radiant Heating and Cooling

TC 6.5 is concerned with all types of sensible radiant space heating and cooling systems. Typical applications are high or medium-temperature radiant elements, spot, or total area radiant heating panels or thermally active slabs for heating and cooling.

Technical Committee 6.6, Service Water Heating Systems

TC 6.6 is concerned with two general areas: (1) service water requirements, and (2) design of the system for heating and distributing service hot water. The heating system design requires knowledge of storage capacities, heat recovery systems, etc. Note: Responsibility for the design of service water piping has not yet been assigned.

Technical Committee 6.7, Solar and Other Renewable Energies

Technical Committee 6.7 is concerned with all equipment, processes and systems which collect, convert, store and utilize solar energy or other renewable energy sources. Overlap with other TCs is recognized where specific systems are included to utilize or distribute energy as heat or electricity.

Technical Committee 6.8, Geothermal Heat Pump and Energy Recovery Applications

TC 6.8 is concerned with all equipment and systems which collect, store and utilize geothermal energy or fluids for the purpose of heating and cooling, and with the development and application of heat pump systems and heat recovery by refrigeration cycles including system design, operation, and

performance (product design of unitary heat pumps and equipment components is excluded).

Technical Committee 6.9, Thermal Storage

TC 6.9 is concerned with the storage of thermal energy for use in heating and/or cooling and with charging or discharging this energy at a controllable rate. The TC collects and disseminates information on storage processes, materials, containers, components, systems and costs as well as on analytical methods for evaluating and predicting storage performance.

Technical Committee 6.10, Fuels and Combustion

TC 6.10 is concerned with the properties of conventional, alternative and waste product fuels and the characteristics important to their utilization for heating, refrigeration and air conditioning. These characteristics are the combustion process, including combustion air supply and venting combustion products, pollution from the combustion of fuels, and the operation of fuel-burning equipment.

Section 7.0 – Building Performance

Technical Committee 7.1, Integrated Building Design

TC 7.1 is concerned with facilitating interaction among all building disciplines, from earliest concept development throughout the building lifecycle, in order to achieve integration of design efforts and operation of the total building.

Technical Committee 7.2, HVAC&R Construction & Design Build Technologies

TC 7.2 is concerned with enhancing the collaboration of Contractors and Design Build Firms with the entire ASHRAE membership to ensure that the relevant research, publications, and educational materials promote the design, construction, and operation of resource efficient buildings.

Technical Committee 7.3, Operation and Maintenance Management

TC 7.3 is concerned with providing general guidance in the area of operation, maintenance and commissioning of air conditioning, heating, ventilating and refrigeration systems and equipment.

Technical Committee 7.4, Exergy Analysis for Sustainable Buildings (EXER)

TC 7.4 is concerned with all exergy aspects of energy and power utilization of systems and equipment for comfort and service, assessment of their impact on the environment, and development of analysis techniques,

methodologies and solutions for environmentally safer, sustainable low-exergy buildings

Technical Committee 7.5, Smart Building Systems

TC 7.5 is concerned with the performance and interactions of smart building systems (SBS), the impact of smart building systems on the total building performance, methods for achieving more intelligent control and operation of building processes, including supervisory control strategies and the optimization of dynamic building components and systems, interactions of smart buildings with utilities, and documentation of the benefits of smart buildings and smart building systems as they relate to energy consumption, cost of operation, maintenance, occupant comfort, building commissioning, operations, and impact of the SBS on utilities and natural resources.

Technical Committee 7.6, Building Energy Performance

TC 7.6 is concerned with the estimation, measurement, analysis, benchmarking, and management of whole building and building systems energy and water performance. This includes performance and resource management of new and existing buildings.

Technical Committee 7.7, Testing and Balancing

TC 7.7 is concerned with field testing, balancing and adjusting of air-conditioning systems including the identification, organization and development of procedures for performing those field operations necessary to ensure optimum system performance within the limitations of the equipment, design, and installation.

Technical Committee 7.8, Owning and Operating Costs

TC 7.8 is concerned with owning and operating costs, principally the understanding of comparative owning and operating costs and economic analysis techniques, relating to HVAC&R systems.

Technical Committee 7.9, Building Commissioning

TC 7.9 is concerned with methods of developing and executing the commissioning process as required to provide HVAC and related systems which conform to design intent and project requirements.

Section 8.0–Air-Conditioning and Refrigeration System Components

Technical Committee 8.1, Positive Displacement Compressors

TC 8.1 is concerned with the design, performance, features, and operating characteristics of all types of positive displacement compressors for use with refrigerants.

Technical Committee 8.2, Centrifugal Machines

TC 8.2 is concerned with packaged equipment which involves centrifugal compressors, including those heat exchangers, drivers, controls and accessories, which are specific to packaged centrifugal equipment. TC 8.2 is also concerned with the design and performance of centrifugal compressors, steam turbines and gas turbines for use in refrigerating applications.

Technical Committee 8.3, Absorption and Heat Operated Machines

TC 8.3 is concerned with the design, performance and application of equipment energized by a heat source and using a thermodynamic cycle to provide an air-conditioning, refrigerating or heating function; with the properties of absorbent solutions or special working fluids used in these cycles; and with components of the cycle requiring specific design characteristics.

Technical Committee 8.4, Air-to-Refrigerant Heat Transfer Equipment

TC 8.4 is concerned with design, performance, and application of heat transfer equipment in which a refrigerant, including water or brine, is used to transfer heat with air. The processes of concern to the committee include both sensible heat transfer and combined sensible and latent heat transfer.

Technical Committee 8.5, Liquid-to-Refrigerant Heat Exchangers

TC 8.5 is concerned with the thermal and mechanical design, performance, and application of devices for accomplishing heat transfer between refrigerants (including secondary refrigerants) and liquids. Such devices include liquid cooled refrigerant condensers and refrigerant evaporators for cooling liquids.

Technical Committee 8.6, Cooling Towers and Evaporative Condensers

TC 8.6 is concerned with cooling towers, evaporative liquid coolers and condensers, spray ponds, and other types of contact type liquid to air exchangers and applications to complete refrigeration systems, including water treatment.

Technical Committee 8.7, Variable Refrigerant Flow (VRF)

TC 8.7 is concerned with the design, performance, and application of variable refrigerant flow systems into commercial HVAC systems

Technical Committee 8.8, Refrigerant Systems Controls and Accessories

TC 8.8 is concerned with refrigerant flow controls and other refrigerant control devices, including relief devices, check valves, condenser water regulators and oil separators.

Technical Committee 8.9, Residential Refrigerators and Food Freezers

TC 8.9 is concerned with refrigerators and food freezers intended for use in the home. This concern includes special features; cabinet construction; refrigeration systems and their components; good design practice for performance, safety, reliability and serviceability; and performance requirements and procedures for tests and evaluation.

Technical Committee 8.10, Mechanical Dehumidification Equipment and Heat Pipes

TC 8.10 is concerned with mechanical dehumidification equipment and heat pipes and their design performance, applications, and features.

Technical Committee 8.11, Unitary and Room air Conditioners & Heat Pumps

TC 8.11 is concerned with products for use in comfort cooling and/or heating systems. The factory engineered vapor compression systems include: (1) unitary equipment which generally requires the field engineering of the product mounting and ducting, piping and electrical connections, (2) room air conditioners such as window mounted units and ductless split systems and (3) packaged terminal equipment. Specifically excluded are unitary combustion engine driven systems.

Technical Committee 8.12, Desiccant Dehumidification Equipment and Components

TC 8.12 is principally concerned with solid and liquid desiccant dehumidification equipment, its performance, application engineering, related load calculations, commissioning, operation, and maintenance. The committee is also concerned with the integration of desiccant equipment and components into other systems and with fundamental abstracts of heat and mass-transfer as they relate to desiccant materials and compounds

Section 9.0–Building Applications

Technical Committee 9.1 Large Building Air-Conditioning Systems

TC 9.1 is concerned with the general design concepts of the HVAC systems that are utilized for the conditioning of large buildings, including the integration of components into centralized and decentralized systems.

Technical Committee 9.2, Industrial Air Conditioning and Ventilation

Technical Committee 9.2 is concerned the environment that supports reliable operation of manufacturing and industrial processes and equipment, and strives to ensure the safety of personnel working in industrial facilities. It provides guidance and recommendations regarding the design, installation, operation and maintenance of heating, air conditioning, supply and exhaust ventilation, pressurization and air filtration systems where harmful chemical, physical, nuclear, biological contaminants or hazardous atmospheres have an increased potential to exist.

Technical Committee 9.3, Transportation Air Conditioning

TC 9.3 is concerned with providing technical information regarding transportation air conditioning applications, including aerospace, rail, surface vehicles, and ships.

Technical Committee 9.4, Justice Facilities

TC 9.4 is concerned with the application of heating, ventilation, air conditioning, refrigeration, life safety, energy conservation systems, privacy and security of justice facilities. These include all aspects of cells, jails, prisons, court houses, juvenile facilities, work release areas, crime and forensic laboratories, police stations, evidence storage areas and other ancillary areas.

Technical Committee 9.6, Healthcare Facilities

TC 9.6 is concerned with the application of ventilating, air-conditioning, refrigeration, life safety, and energy conservation systems to healthcare (hospital, outpatient, long-term care) facilities.

Technical Committee 9.7, Educational Facilities

TC 9.7 is concerned with the application of ventilating, air-conditioning, refrigeration, life safety, and energy conservation systems to educational (secondary school, college) facilities.

Technical Committee 9.8, Large Building Air-Conditioning Applications

TC 9.8 is concerned with the application of heating, ventilating, air-conditioning, refrigeration, humidity control, and energy conservation systems to large buildings. Specific areas of primary responsibility and expertise to include applications for the following types of large commercial and public buildings: domiciliary, hospitality, retail, assembly, natatoriums, atria, warehouses, transportation centers, museums, archives, galleries, and libraries.

Technical Committee 9.9, Mission Critical Facilities, Data Centers, Technology Spaces and Electronic Equipment

TC 9.9 is concerned with all aspects of mission critical facilities, technology spaces, and electronic equipment/systems. This includes data centers, computer rooms/closets, server rooms, raised floor environments, high-density loads, emergency network operations centers, telecom facilities, communications rooms/closets, and electronic equipment rooms/closets.

Technical Committee 9.10, Laboratory Systems

TC 9.10 is concerned with HVAC components for laboratory systems and their use therein. These components include but are not limited to air intakes, supply air conditioning systems, air distribution methods, laboratory fume hoods, biological safety cabinets, exhaust systems and exhaust discharge. The technical committee will address the unique requirements of all types of laboratories. These laboratories include but are not limited to nuclear, pharmaceutical/medical, general chemistry, and teaching. Additional TC 9.10 concerns are; (1) the reduction of energy usage in laboratory systems, (2) the monitoring of government regulations affecting laboratory operation.

Technical Committee 9.11, Clean Spaces

TC 9.11 is concerned with air conditioning systems for cleanrooms and spaces, including process, product and facility air conditioning and related process ventilation for Research and Development, manufacturing, assembly, test and clean medical areas. This includes electronic, microelectronic, pharmaceutical and aerospace facilities and operating rooms.

Technical Committee 9.12, Tall Buildings

TC 9.12 is concerned with the function, operation, energy and human safety for buildings in excess of 300 feet in height. Also included is the determination of requirements related to hydraulics, airflow, infiltration, thermal insulation, water vapor retarders, environmental control, fire and smoke control and maintenance.

TRG9, Cold Climate Design Guide

MTG.CCDG will coordinate TC/TG/TRG technical activities to help support the technical basis, development, and publication of a "Cold Climate Design Guide" in conjunction with REHVA and SCANVAC. Responsibilities include the development of supporting research, presentations, and content for the "Cold Climate Design Guide" special publication.

Section 10.0–Refrigeration Systems

Technical Committee 10.1, Custom Engineered Refrigeration Systems

TC 10.1 is concerned with one-of-a-kind industrial applications of standard or special equipment to meet specific refrigeration requirements.

Technical Committee 10.2, Automatic Icemaking Plants and Skating Rinks

TC 10.2 is concerned with the application of equipment and systems for automatic ice manufacturing systems for five tons of ice per 24 hours and larger, including ice builders or ice storage systems, and also including ice-skating and curling rinks.

Technical Committee 10.3, Refrigerant Piping, Controls and Accessories

TC 10.3 is concerned with the design, layout, sizing, specification, insulation, oil carrying characteristics, safety and corrosion of refrigerant piping, excluding secondary refrigerant piping.

Technical Committee 10.5 Refrigerated Processing and Storage

TC 10.5 is concerned with the application of packaged and customized refrigeration systems for the industrial processing, packaging and storage of foods, beverages and other products. This scope excludes all refrigerated storage facilities less than 3,000 sq. ft. and systems used in the transport of refrigerated products.

Technical Committee 10.6, Transport Refrigeration

TC 10.6 is concerned with the application of standard and special refrigeration equipment to all air, land, and sea transportation systems.

Technical Committee 10.7, Commercial Food and Beverage Refrigeration Equipment

TC 10.7 is concerned with the application and performance of equipment and systems for the refrigeration of food and beverages in commercial operations. This includes commercial equipment such as refrigerated merchandisers and storage cases, walk-in freezers and coolers (<3,000 sq. ft>), beverage vendors and dispensers, commercial ice makers, and water coolers.

Technical Committee 10.8, Refrigeration Load Calculations

TC 10.8 is concerned with the identification and compilation of the factors contributing to, and the development of, procedures for calculating refrigeration loads.

Section MTG – Multidisciplinary Task Groups

Multidisciplinary Task Group, Air Change Rate

MTG.ACR will coordinate TC/TG/TRG/SSPC technical activities to help evaluate the technical basis and adoption of airflow rate specifications in terms of Air Change Rate (ACR) or Air Changes per Hour (ACH) for spaces such as cleanrooms, laboratories, patient rooms, operating rooms, and other similar spaces. Responsibilities include the development of research projects, development and presentation of technical programs for all types of spaces which currently require ACR specifications, and a special publication detailing aspects of the ACR philosophy and practice. The work of this MTG will potentially impact design guidelines, ASHRAE Handbook, and related ASHRAE standards. This MTG intends to involve other national and international groups and organizations in these efforts

Multidisciplinary Task Group, Building Dampness

MTG.BD will develop a definition of a damp building and an assessment protocol to assess building dampness in accordance with recommendation 3 of the ASHRAE Board of Directors' 2013 position document titled Limiting Indoor Mold and Dampness in Buildings. The group will also propose research to test the practicality, utility and cost-effectiveness of the protocol, and oversee that research if such is approved. The MTG will publish the protocol in ASHRAE transactions for use as appropriate by the building professions, the public health community and by the public at large.

Multidisciplinary Task Group, Building Information Modeling

MTG.BIM will coordinate the activities of multiple TC/TG in the area of standards and approaches to support the implementation of BIM within ASHRAE products and within the industry workplace and will generate ASHRAE research. MTG-BIM will also represent ASHRAE interests within the BIM marketplace outside of ASHRAE and provide a conduit for funneling information about the BIM industry to ASHRAE members.

Multidisciplinary Task Group, Effective Building Operations

MTG.EBO will coordinate the activities of multiple TC/TG/TRG and other stakeholders in the area of training and tools to support the operation of buildings to enhance the indoor environment and use energy effectively. Responsibility will include suggestions for research as well as development of technical programs and special publications on effective building operation for energy management.

The initial MTG roster includes Voting Representatives and Alternates for TCs 1.4 (Control Theory and Application), 7.3 (Operation and Maintenance Management) 7.8 (Owning and Operating Costs) and GPC 1.3 (Building Operation and Maintenance Training for the HVAC&R Commissioning Process)

Other TCs GPCs, and SPCs may also now wish to participate in this MTG with a Voting Representative and Alternate(s) given its scope and charge.

Multidisciplinary Task Group, Hot Climate Design Guide

MTG.HCDG will coordinate TC/TG/TRG technical Activities to help support the development of the technical basis and adoption of the Hot Climate Design Guide. Responsibilities include suggestions for Research, Development and Presentations and special publications detailing aspects of the Hot Climate Design Guide.

Multidisciplinary Task Group, Health and Wellness in the Built Environment

MTG.HWBE will coordinate TC/TG/TRG technical activities related to enhanced health and wellness of the occupants in the built environment. The focus of the MTG will be to help to foster and expand internal and external organizational partnerships in this subject area, particularly with organizations developing green building rating systems (e.g., ASHRAE bEQ, LEED; WELL, Living Building Challenge; RESET, etc.) government agencies and research institutes. The objective of this coordination is to strengthen and improve the development and utility of these green building rating systems, to increase ASHRAE's knowledge and expertise in this emerging field, and to become more effective in disseminating the results of research and practice in this field to ASHRAE members and others.

Multidisciplinary Task Group, Impact of ASHRAE Standards and Technology on Energy Savings/Performance

MTG.IAST will generate research proposal(s) and work with the selected consultants/contractors to conduct research, collect and organize the data in a useful and conveniently summarized format for Initiative 1B of the Society Strategic Plan "ASHRAE will research the true impact of its standards and technology" as requested by the BOD.

Multidisciplinary Task Group, Lower Global Warming Potential Alternative Refrigerants

MTG.LowGWP will coordinate TC/TG/TRG technical activities to help transition the HVAC&R industry to sustainable lower Global Warming Potential (GWP) alternative refrigerants. The MTG will further request participation from US EPA and AHRI. The MTG responsibilities include research, development and

presentation of technical programs of all types on alternative lower GWP refrigerants, suggestions for Life Cycle Climate Performance (LCCP) systems evaluation for different applications, development of lower GWP solutions for different applications, and a special publication detailing aspects of LCCP applied to the HVAC&R fields.

Multidisciplinary Task Group, Occupant Behavior in Buildings

MTG.OBB will coordinate TC/TG/TRG technical activities to help implement the recommendations from this MTG. This includes coordinating efforts in education, modeling, research, standards, marketing, advocacy, and fund raising within ASHRAE. Research project initiation as the sponsoring committee is included in the scope of this MTG.

Occupant behavior in buildings refers to occupants' comfort preference, presence and movement, and interactions with building systems that have impact on performance (thermal, visual, acoustic, and IAQ) of buildings. The interactions include adjusting the thermostat settings, opening or closing windows, dimming or turning on/off lights, pulling up or down window blinds, switching on or off plug-loads, and consuming domestic hot water.