© ASHRAE. Per international copyright law, additional reproduction, distribution, or transmission in either print or digital form is not permitted without ASHRAE's prior written permission.

ANSI/ASHRAE/ICC/USGBC/IES Addendum ba to ANSI/ASHRAE/ICC/USGBC/IES Standard 189.1-2020

Standard for the Design of High-Performance Green Buildings

Except Low-Rise Residential Buildings

The Complete Technical Content of the International Green Construction Code®

Approved by the ASHRAE Standards Committee on July 26, 2023; by the International Code Council on July 24, 2023; by the the Illuminating Engineering Society on July 25, 2023; by U.S. Green Building Council on July 20, 2023; and by the American National Standards Institute on August 30, 2023.

This addendum was approved by a Standing Standard Project Committee (SSPC) for which the Standards Committee has established a documented program for regular publication of addenda or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the standard. Instructions for how to submit a change can be found on the ASHRAE® website (www.ashrae.org/continuous-maintenance).

The latest edition of an ASHRAE Standard may be purchased on the ASHRAE website (www.ashrae.org) or from ASHRAE Customer Service, 180 Technology Parkway, Peachtree Corners, GA 30092. E-mail: orders@ashrae.org. Fax: 678-539-2129. Telephone: 404-636-8400 (worldwide), or toll free 1-800-527-4723 (for orders in US and Canada). For reprint permission, go to www.ashrae.org/permissions.

© 2023 ASHRAE

ISSN 1041-2336











© ASHRAE. Per international copyright law, additional reproduction, distribution, or transmission in either print or digital form is not permitted without ASHRAE's prior written permission.

ASHRAE Standing Standard Project Committee 189.1

Cognizant TC: 2.8 Building Environmental Impacts and Sustainability SPLS Liaison: Jay Kohler · ASHRAE Staff Liaisons: Thomas Loxley

ICC Liaison: Russ Manning · IES Liaison: Mark Lien · USGBC Liaison: Wes Sullens

Katherine Hammack*, Chair Thomas Culp* Andrew Klein Terry Sharp Charles Eley*, Co-Vice-Chair David Delaquila Thomas Lawrence Kent Sovocool* Josh Jacobs*, Co-Vice-Chair **Greg Eades*** Richard Lord Dennis Stanke Michael Jouaneh*, Co-Vice-Chair Jim Edelson* Mark Malkin Wayne Stoppelmoor* Lawrence Schoen*, Co-Vice Chair Anthony Floyd* Jonathan McHugh* Christine Subasic* Bryan Ahee Ellen Franconi Susan McLaughlin* Kyle Thompson Costas Balaras Robert Goo Erik Miller-Klein John Topmiller Gregg Gress* Brittany C. Moser* Martha VanGeem* Webly Bowles leff Bradley* Thomas Hogarth* Tien Peng Theresa Weston* Donald Horn* **Daniel Whittet** Frank Burns* **Andrew Persily** Julie Chandler Ionathan Humble Rock Ridolfi* loe Winters* **Jasmine Wong** Glen Clapper Greg Johnson Steven Rosenstock* Ernest Conrad* Jack Karlin Aniruddh Roy Jian Zhang* Dru Crawley Paul Karrer **Brent Rutherford** John Cross* Gerald Kettler Michael Schmeida

Saber K. Nikkho

Margaret M. Mathison

ASHRAE STANDARDS COMMITTEE 2023–2024

Matthew Setzekorn

David Robin

Jonathan Humble, Chair	Phillip A. Johnson	Kenneth A. Monroe	Christopher J. Seeton
Douglas D. Fick, Vice-Chair	Gerald J. Kettler	Daniel H. Nall	Paolo M. Tronville
Kelley P. Cramm	Jay A. Kohler	Philip J. Naughton	Douglas Tucker
Abdel K. Darwich	Paul A. Lindahl, Jr.	Kathleen Owen	William F. Walter
Drake H. Erbe	James D. Lutz	Gwelen Paliaga	Susanna S. Hanson, BOD ExO
Patricia Graef	Julie Majurin	Karl L. Peterman	Ashish Rakheja, CO
laap Hogeling	Lawrence C. Markel	Justin M. Prosser	

Connor Barbaree, Senior Manager of Standards

SPECIAL NOTE

This American National Standard (ANS) is a national voluntary consensus Standard developed under the auspices of ASHRAE. Consensus is defined by the American National Standards Institute (ANSI), of which ASHRAE is a member and which has approved this Standard as an ANS, as "substantial agreement reached by directly and materially affected interest categories. This signifies the concurrence of more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that an effort be made toward their resolution." Compliance with this Standard is voluntary until and unless a legal jurisdiction makes compliance mandatory through legislation.

ASHRAE obtains consensus through participation of its national and international members, associated societies, and public review.

ASHRAE Standards are prepared by a Project Committee appointed specifically for the purpose of writing the Standard. The Project Committee Chair and Vice-Chair must be members of ASHRAE; while other committee members may or may not be ASHRAE members, all must be technically qualified in the subject area of the Standard. Every effort is made to balance the concerned interests on all Project Committees.

The Senior Manager of Standards of ASHRAE should be contacted for

a. interpretation of the contents of this Standard,

Michael Cudahy*

Jennifer A. Isenbeck

- b. participation in the next review of the Standard,
- c. offering constructive criticism for improving the Standard, or
- d. permission to reprint portions of the Standard.

DISCLAIMER

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

ASHRAE INDUSTRIAL ADVERTISING POLICY ON STANDARDS

ASHRAE Standards and Guidelines are established to assist industry and the public by offering a uniform method of testing for rating purposes, by suggesting safe practices in designing and installing equipment, by providing proper definitions of this equipment, and by providing other information that may serve to guide the industry. The creation of ASHRAE Standards and Guidelines is determined by the need for them, and conformance to them is completely voluntary.

In referring to this Standard or Guideline and in marking of equipment and in advertising, no claim shall be made, either stated or implied, that the product has been approved by ASHRAE.

^{*} Denotes members of voting status when the document was approved for publication

(This foreword is not part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)

FOREWORD

Addendum ba revises the definition of "potable water" to match the definition in the International Plumbing Code. The change will avoid confusion by excluding natural freshwater sources that are not considered potable under most common definitions. These changes are not expected to add cost to the standard.

Informative Note: In this addendum, changes to the current standard are indicated in the text by <u>underlining</u> (for additions) and <u>strikethrough</u> (for deletions) unless the instructions specifically mention some other means of indicating the changes.

Addendum ba to Standard 189.1-2020

Revise Section 3.1 as shown.

water, potable: water from public drinking water systems or from natural freshwater sources, such as lakes, streams, and aquifers, where water from such natural sources would or could meet drinking water standards. water free from impurities present in amounts sufficient to cause disease or harmful physiological effects and conforming to the bacteriological and chemical quality requirements of the public health service drinking water standards or the regulations of the public health authority having jurisdiction.

POLICY STATEMENT DEFINING ASHRAE'S CONCERN FOR THE ENVIRONMENTAL IMPACT OF ITS ACTIVITIES

ASHRAE is concerned with the impact of its members' activities on both the indoor and outdoor environment. ASHRAE's members will strive to minimize any possible deleterious effect on the indoor and outdoor environment of the systems and components in their responsibility while maximizing the beneficial effects these systems provide, consistent with accepted Standards and the practical state of the art.

ASHRAE's short-range goal is to ensure that the systems and components within its scope do not impact the indoor and outdoor environment to a greater extent than specified by the Standards and Guidelines as established by itself and other responsible bodies.

As an ongoing goal, ASHRAE will, through its Standards Committee and extensive Technical Committee structure, continue to generate up-to-date Standards and Guidelines where appropriate and adopt, recommend, and promote those new and revised Standards developed by other responsible organizations.

Through its *Handbook*, appropriate chapters will contain up-to-date Standards and design considerations as the material is systematically revised.

ASHRAE will take the lead with respect to dissemination of environmental information of its primary interest and will seek out and disseminate information from other responsible organizations that is pertinent, as guides to updating Standards and Guidelines.

The effects of the design and selection of equipment and systems will be considered within the scope of the system's intended use and expected misuse. The disposal of hazardous materials, if any, will also be considered.

ASHRAE's primary concern for environmental impact will be at the site where equipment within ASHRAE's scope operates. However, energy source selection and the possible environmental impact due to the energy source and energy transportation will be considered where possible. Recommendations concerning energy source selection should be made by its members.

ASHRAE · 180 Technology Parkway NW · Peachtree Corners, GA 30092 · www.ashrae.org

Standard 189.1 and the International Green Construction Code

Standard 189.1 serves as the complete technical content of the International Green Construction Code[®] (IgCC). The IgCC creates a regulatory framework for new and existing buildings, establishing minimum green requirements for buildings and complementing voluntary rating systems. For more information, visit www.iccsafe.org.

About ASHRAE

Founded in 1894, ASHRAE is a global professional society committed to serve humanity by advancing the arts and sciences of heating, ventilation, air conditioning, refrigeration, and their allied fields.

As an industry leader in research, standards writing, publishing, certification, and continuing education, ASHRAE and its members are dedicated to promoting a healthy and sustainable built environment for all, through strategic partnerships with organizations in the HVAC&R community and across related industries.

To stay current with this and other ASHRAE Standards and Guidelines, visit www.ashrae.org/standards, and connect on LinkedIn, Facebook, Twitter, and YouTube.

Visit the ASHRAE Bookstore

ASHRAE offers its Standards and Guidelines in print, as immediately downloadable PDFs, and via ASHRAE Digital Collections, which provides online access with automatic updates as well as historical versions of publications. Selected Standards and Guidelines are also offered in redline versions that indicate the changes made between the active Standard or Guideline and its previous edition. For more information, visit the Standards and Guidelines section of the ASHRAE Bookstore at www.ashrae.org/bookstore.

IMPORTANT NOTICES ABOUT THIS STANDARD

To ensure that you have all of the approved addenda, errata, and interpretations for this Standard, visit www.ashrae.org/standards to download them free of charge.

Addenda, errata, and interpretations for ASHRAE Standards and Guidelines are no longer distributed with copies of the Standards and Guidelines. ASHRAE provides these addenda, errata, and interpretations only in electronic form to promote more sustainable use of resources.