© ASHRAE. Per international copyright law, additional reproduction, distribution, or transmission in either print or digital form is not permitted without ASHRAE's prior written permission.



ADDENDA

ANSI/ASHRAE Addendum b to ANSI/ASHRAE Standard 90.4-2019

Energy Standard for Data Centers

Approved by ASHRAE and the American National Standards Institute on October 30, 2020.

This addendum was approved by a Standing Standard Project Committee (SSPC) for which the Standards Committee has established a documented program for regular publication of addenda or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the standard. Instructions for how to submit a change can be found on the ASHRAE® website (https://www.ashrae.org/continuous-maintenance).

The latest edition of an ASHRAE Standard may be purchased on the ASHRAE website (www.ashrae.org) or from ASHRAE Customer Service, 180 Technology Parkway NW, Peachtree Corners, GA 30092. E-mail: orders@ashrae.org. Fax: 678-539-2129. Telephone: 404-636-8400 (worldwide), or toll free 1-800-527-4723 (for orders in US and Canada). For reprint permission, go to www.ashrae.org/permissions.

© 2020 ASHRAE ISSN 1041-2336



© ASHRAE. Per international copyright law, additional reproduction, distribution, or transmission in either print or digital form is not permitted without ASHRAE's prior written permission.

ASHRAE Standard Project Committee 90.4

Cognizant TC: 9.9 Mission Critical Facilities, Data Centers, Technology Spaces and Electronic Equipment SPLS Liaison: Larry Kouma ASHRAE Staff Liaisons: Emily Toto

Richard Zbin*, Chair Mark Fisher* David Meadows* Marcus Hassen*, Co-Vice Chair Galen Gerig Richard Pavlak* Vali Sorell*, Co-Vice Chair Patricia Graef Joseph Prisco* Gerardo Alfonso* Steve Greenberg* Terry Rodgers* Henry Amistadi Hugh Hudson* Steven Rosenstock* John Bean* Gwenn Ivester Jeff Sloan* David Kelley* Lance Brown* Jeffrey Stein* Timothy Chadwick* Matt Koukl* Justin Wieman Benedict Dolcich* Robert McFarlane* Adam Williams

ASHRAE STANDARDS COMMITTEE 2020–2021

Drury B. Crawley, Chair Srinivas Katipamula David Robin Rick M. Heiden, Vice Chair Gerald J. Kettler Lawrence J. Schoen Els Baert Essam E. Khalil Steven C. Sill Charles S. Barnaby Malcolm D. Knight Richard T. Swierczyna Robert B. Burkhead Jay A. Kohler Christian R. Taber Thomas E. Cappellin Larry Kouma Russell C. Tharp Theresa A. Weston Douglas D. Fick Cesar L. Lim Walter T. Grondzik lames D. Lutz Craig P. Wray Susanna S. Hanson Karl L. Peterman Jaap Hogeling, BOD ExO William F. McQuade, CO Jonathan Humble Erick A. Phelps

Connor Barbaree, Senior Manager of Standards

SPECIAL NOTE

This American National Standard (ANS) is a national voluntary consensus Standard developed under the auspices of ASHRAE. *Consensus* is defined by the American National Standards Institute (ANSI), of which ASHRAE is a member and which has approved this Standard as an ANS, as "substantial agreement reached by directly and materially affected interest categories. This signifies the concurrence of more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that an effort be made toward their resolution." Compliance with this Standard is voluntary until and unless a legal jurisdiction makes compliance mandatory through legislation.

ASHRAE obtains consensus through participation of its national and international members, associated societies, and public review.

ASHRAE Standards are prepared by a Project Committee appointed specifically for the purpose of writing the Standard. The Project Committee Chair and Vice-Chair must be members of ASHRAE; while other committee members may or may not be ASHRAE members, all must be technically qualified in the subject area of the Standard. Every effort is made to balance the concerned interests on all Project Committees.

The Senior Manager of Standards of ASHRAE should be contacted for

- a. interpretation of the contents of this Standard,
- b. participation in the next review of the Standard,
- c. offering constructive criticism for improving the Standard, or
- d. permission to reprint portions of the Standard.

DISCLAIMER

ASHRAE uses its best efforts to promulgate Standards and Guidelines for the benefit of the public in light of available information and accepted industry practices. However, ASHRAE does not guarantee, certify, or assure the safety or performance of any products, components, or systems tested, installed, or operated in accordance with ASHRAE's Standards or Guidelines or that any tests conducted under its Standards or Guidelines will be nonhazardous or free from risk.

ASHRAE INDUSTRIAL ADVERTISING POLICY ON STANDARDS

ASHRAE Standards and Guidelines are established to assist industry and the public by offering a uniform method of testing for rating purposes, by suggesting safe practices in designing and installing equipment, by providing proper definitions of this equipment, and by providing other information that may serve to guide the industry. The creation of ASHRAE Standards and Guidelines is determined by the need for them, and conformance to them is completely voluntary.

In referring to this Standard or Guideline and in marking of equipment and in advertising, no claim shall be made, either stated or implied, that the product has been approved by ASHRAE.

^{*} Denotes members of voting status when the document was approved for publication

© ASHRAE. Per international copyright law, additional reproduction, distribution, or transmission in either print or digital form is not permitted without ASHRAE's prior written permission.

(This foreword is not part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)

FOREWORD

Addendum b clarifies exactly how credit can be taken for renewables. The renewables credit is limited to 5% of the IT load in order to encourage renewable energy while still requiring energy efficient mechanical and electrical systems.

Note: In this addendum, changes to the current standard are indicated in the text by underlining (for additions) and strikethrough (for deletions) unless the instructions specifically mention some other means of indicating the changes.

Addendum b to Standard 90.4-2019

Modify Section 11.2 as shown. (Note: Equations, though not underlined, are new text.)

11.2 Compliance. Compliance with Section 11 shall be demonstrated by complying with all of the following conditions:

 $[\ldots]$

d. The sum of the calculated values of the annualized MLC value and the design ELC minus the OR Credit shall be equal to or less than the maximum overall systems design value. (The sum of the annualized MLC value and the design ELC value create an overall systems design value.)

OR Credit \equiv lesser of 0.05 or

$$\frac{\sum N = 25, 50, 75, 100 \text{ OnsiteRenewables}_{N}}{\sum N = 25, 50, 75, 100 \text{ DataCenterITE}_{N}}$$

OnsiteRenewables_N (kWh) = total annual energy that is produced onsite by renewable energy systems and that is consumed onsite, modeled at a constant ITE load of N% of the design ITE load. Onsite renewables can only be included in the *Annualized MLC* calculation if the data center owner owns the onsite renewable energy system or has signed a contractual agreement to purchase *energy* generated by the onsite renewable energy system for at least 10 years. Existing onsite renewables shall not be credited for Standard 90.4 compliance if they have previously received credit under Standard 90.4 or any other energy standard.

<u>DataCenterITE_N (kWh)</u>

total annual energy consumed by the ITE at a constant ITE load of N% of the design ITE load. (Informative Note: For example, DataCenterITE₅₀ for a design ITE load of 1000 kW $= 1000 \, kW \times 8760 \, h \times 0.5 = 4.380,000 \, kWh$. ITE energy does not include UPS losses but does include server fan energy.)

© ASHRAE. Per international copyright law, additional reproduction, distribution, or transmission in either print or digital form is not permitted without ASHRAE's prior written permission.

POLICY STATEMENT DEFINING ASHRAE'S CONCERN FOR THE ENVIRONMENTAL IMPACT OF ITS ACTIVITIES

ASHRAE is concerned with the impact of its members' activities on both the indoor and outdoor environment. ASHRAE's members will strive to minimize any possible deleterious effect on the indoor and outdoor environment of the systems and components in their responsibility while maximizing the beneficial effects these systems provide, consistent with accepted Standards and the practical state of the art.

ASHRAE's short-range goal is to ensure that the systems and components within its scope do not impact the indoor and outdoor environment to a greater extent than specified by the Standards and Guidelines as established by itself and other responsible bodies.

As an ongoing goal, ASHRAE will, through its Standards Committee and extensive Technical Committee structure, continue to generate up-to-date Standards and Guidelines where appropriate and adopt, recommend, and promote those new and revised Standards developed by other responsible organizations.

Through its *Handbook*, appropriate chapters will contain up-to-date Standards and design considerations as the material is systematically revised.

ASHRAE will take the lead with respect to dissemination of environmental information of its primary interest and will seek out and disseminate information from other responsible organizations that is pertinent, as guides to updating Standards and Guidelines.

The effects of the design and selection of equipment and systems will be considered within the scope of the system's intended use and expected misuse. The disposal of hazardous materials, if any, will also be considered.

ASHRAE's primary concern for environmental impact will be at the site where equipment within ASHRAE's scope operates. However, energy source selection and the possible environmental impact due to the energy source and energy transportation will be considered where possible. Recommendations concerning energy source selection should be made by its members.

ASHRAE · 180 Technology Parkway NW · Peachtree Corners, GA 30092 · www.ashrae.org

About ASHRAE

Founded in 1894, ASHRAE is a global professional society committed to serve humanity by advancing the arts and sciences of heating, ventilation, air conditioning, refrigeration, and their allied fields.

As an industry leader in research, standards writing, publishing, certification, and continuing education, ASHRAE and its members are dedicated to promoting a healthy and sustainable built environment for all, through strategic partnerships with organizations in the HVAC&R community and across related industries.

To stay current with this and other ASHRAE Standards and Guidelines, visit www.ashrae.org/standards, and connect on Linkedln, Facebook, Twitter, and YouTube.

Visit the ASHRAE Bookstore

ASHRAE offers its Standards and Guidelines in print, as immediately downloadable PDFs, and via ASHRAE Digital Collections, which provides online access with automatic updates as well as historical versions of publications. Selected Standards and Guidelines are also offered in redline versions that indicate the changes made between the active Standard or Guideline and its previous version. For more information, visit the Standards and Guidelines section of the ASHRAE Bookstore at www.ashrae.org/bookstore.

IMPORTANT NOTICES ABOUT THIS STANDARD

To ensure that you have all of the approved addenda, errata, and interpretations for this Standard, visit www.ashrae.org/standards to download them free of charge.

Addenda, errata, and interpretations for ASHRAE Standards and Guidelines are no longer distributed with copies of the Standards and Guidelines. ASHRAE provides these addenda, errata, and interpretations only in electronic form to promote more sustainable use of resources.