

**ERRATA SHEET FOR  
ANSI/ASHRAE/IES STANDARD 90.1-2022 (I-P Edition)  
Energy Standard for Sites and Buildings Except Low-Rise Residential Buildings**

**January 19, 2023**

The corrections listed in this errata sheet apply to ANSI/ASHRAE/IES Standard 90.1-2022, I-P Edition. The first printing is identified on the outside back cover of the standard as “Product code: 86327 12/22”.

**NOTICE:** ASHRAE now has a list server for Standing Standards Project Committee 90.1 (SSPC 90.1). Interested parties can now subscribe and unsubscribe to the list server and be automatically notified via e-mail when activities and information related to the Standard and the User’s Manual is available. To sign up for the list server please visit **Project Committee List Servers for Standard** on the Technology / Standards section of the ASHRAE website at <https://www.ashrae.org/technical-resources/standards-and-guidelines/project-committee-list-servers>.

<u>Page(s)</u>	<u>Erratum</u>
393	<b>Table M-1 Addenda to ANSI/ASHRAE/IES Standard 90.1-2019.</b> Add the addenda to Table M-1 as shown in the attached.

<b>Table M-1 Addenda to ANSI/ASHRAE/IES Standard 90.1-2019</b>						
<b>Addendum</b>	<b>Sections</b>	<b>Description of Changes<sup>a</sup></b>	<b>ASHRAE Standard Committee Approval</b>	<b>Co-sponsor Approval (IES)</b>	<b>ASHRAE BOD/Tech Council Approval</b>	<b>ANSI Approval</b>
ba	9.4.1, Table 9.5.2.1, Appendix E, Table G3.7-1, Table G3.7-2	Updates the space-by-space LPD values based on efficacy improvements consistent with manufacturer data sheets. Makes various changes to lighting control requirements, including the addition of several new space types and a new requirement for multilevel control with continuous dimming in place of bilevel lighting control.	7/20/2022	9/8/2022	8/15/2022	9/9/2022
cc	10.5.1.1	Increases the prescriptive on-site renewable energy requirement added by Addendum by from 0.25 W/ft <sup>2</sup> to 0.5 W/ft <sup>2</sup> .	7/20/2022	9/8/2022	8/15/2022	9/9/2022